

TRUCK, UTILITY, LIGHTWEIGHT, MC 2 - LAND ROVER 110 - ALL TYPES
TRUCK, CARGO, LIGHT, MC 2 - LAND ROVER 110 - ALL TYPES

FITTING OF INSTRUMENT BLACKOUT COVER

MODIFICATION INSTRUCTION

Issue of this instruction is authorised by CONMEA.

Introduction

1. This instruction details the fitting of an instrument panel blackout cover, so as to minimize the light emitted from the instrument warning lights during night driving and where Night Vision Goggles (NVG) are used for operational driver training.

Note:

1. NSN and Designation used in this instruction were current at the date of issue. If twelve months or more have expired since issue, the NSN should be checked for supersession.

General

2. Estimated Modification Time. 0.15 hrs.
3. Priority. Group 2.
4. Modification to be Applied to. All subject vehicles.
5. Items Affected. Instrument Panel.
6. Action Required. By RAEME units authorised to carry out unit, field and base repairs.

TABLE 1 - STORES REQUIRED

(To be demanded through normal supply channels, from Moorebank Logistic Group)

Item	MPN/NSN	Designation	Qty per Equip
1.	2540-66-128-6020	KIT - BLACKOUT COVER DASH Comprising of:	1
a.	HYG4373	BRACKET LEFT HAND	1
b.	HYG4372	BRACKET RIGHT HAND	1
c.	AYG9937	BLACKOUT COVER	1

Detail

7. The modification is to be completed in the sequence as described below:
 - a. Remove the existing instrument warning light panel retaining screws, whilst maintaining light finger pressure on the panel to ensure correct location.
 - b. Using the existing screws, secure the blackout cover and brackets (Items 1 from Table 1) into position as shown in Fig 1.

UNCONTROLLED WHEN PRINTED




FIG 1 - INSTRUMENT BLACKOUT COVER

8. Modification Record Plate. Deface the numeral 17 on Truck Utility Lightweight variants, and numeral 10 on Truck Light variants modification record plates.

9. Documentation. Details of the modification are to be entered in the TGM 120 Record Book for Service Equipment of all the subject vehicles.

E N D