

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### 1.1 Product identifier

**Product name** PR 1428 A 1/2 PART A  
**Synonym(s)** NSN: XXXX-00-291-8380  
0644AA - PRODUCT CODE • PPG PR-1428 A-1/2 PART A

### 1.2 Uses and uses advised against

**Use(s)** COATING • COATING PAINT • PAINT

### 1.3 Details of the supplier of the safety data sheet

**Supplier name** PPG INDUSTRIES AUSTRALIA PTY. LTD. (ASC - AUSTRALIA)  
**Address** 23 Ovata Drive, Tullamarine, VIC, Australia, 3043  
**Telephone** (03) 9335 1557  
**Fax** (03) 9335 3490  
**Email** contact.aust@ppg.com  
**Website** <http://www.ppg.com/coatings/aerospace/>

### 1.4 Emergency telephone number(s)

**Emergency** 1800 807 001

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**GHS Classification(s)** Acute Toxicity: Oral: Category 4  
Skin Corrosion/Irritation: Category 2  
Serious Eye Damage / Eye Irritation: Category 2A  
Acute Toxicity: Inhalation: Category 4

### 2.2 Label elements

**Signal word**

**WARNING**

**Pictograms**



### Hazard statement(s)

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.

### Prevention statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Response statement(s)

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment is advised - see first aid instructions.  
P330 Rinse mouth.

**Product name** PR 1428 A 1/2 PART A

P362 Take off contaminated clothing and wash before re-use.

**Disposal statement(s)**  
P501 Dispose of contents/container in accordance with relevant regulations.

**2.3 Other Hazards**

No information provided.

**3. COMPOSITION/ INFORMATION ON INGREDIENTS**

**3.1 Substances / Mixtures**

Ingredient	CAS number	EC number	Content
MANGANESE DIOXIDE	1313-13-9	215-202-6	30-60%
DIPHENYLGUANIDINE	102-06-7	203-002-1	1-10%
SODIUM HYDROXIDE	1310-73-2	215-185-5	<1%
HYDROGENATED TERPHENYLS	61788-32-7	262-967-7	10-30%
CARBON BLACK	1333-86-4	215-609-9	1-10%
DIPENTAMETHYLENETHIURAM TETRASULPHIDE	120-54-7	204-406-0	1-10%
TALC	14807-96-6	238-877-9	1-10%
TERPHENYL	26140-60-3	247-477-3	1-10%
ZEOLITE	1318-02-1	215-283-8	1-10%
POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER	9036-19-5	618-541-1	<1%
SODIUM STEARATE	822-16-2	212-490-5	<1%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	remainder

**4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

**Eye** If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled (during curing), remove from contaminated area. To protect rescuer, use a Type AB (Organic vapour, Inorganic and acid gas) respirator where an inhalation risk exists. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

**Ingestion** For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.

**First aid facilities** No information provided.

**4.2 Most important symptoms and effects, both acute and delayed**

No information provided.

**4.3 Immediate medical attention and special treatment needed**

Treat symptomatically.

**5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

Use an extinguishing agent suitable for the surrounding fire.

**5.2 Special hazards arising from the substance or mixture**

Non flammable. May ignite in contact with incompatible materials. May evolve toxic gases (manganese oxides) when heated to decomposition.

**5.3 Advice for firefighters**

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas. May increase intensity of fire.

**Product name** PR 1428 A 1/2 PART A

**5.4 Hazchem code**

None allocated

**6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.

**6.2 Environmental precautions**

Prevent product from entering drains and waterways.

**6.3 Methods of cleaning up**

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

**6.4 Reference to other sections**

See Sections 8 and 13 for exposure controls and disposal.

**7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

**7.2 Conditions for safe storage, including any incompatibilities**

Store removed from incompatible substances and foodstuffs. If stored in containers, ensure they are adequately labelled, protected from physical damage and sealed when not in use.

**7.3 Specific end use(s)**

No information provided.

**8. EXPOSURE CONTROLS/ PERSONAL PROTECTION**

**8.1 Control parameters**

**Exposure standards**

Substance	Reference	TWA		STEL	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Carbon black	SWA (AUS)	--	3	--	--
Hydrogenated terphenyls	SWA (AUS)	0.5	4.9	--	--
Manganese, dust & compounds (as Mn)	SWA (AUS)	--	1	--	--
Manganese, fume (as Mn)	SWA (AUS)	--	1	--	3
Sodium hydroxide (peak limitation)	SWA (AUS)	--	2	--	--
Stearates	SWA (AUS)	--	5	--	--
Talc (no asbestos fibres)	SWA (AUS)	--	2.5	--	--
Terphenyls	SWA (AUS)	0.5	4.7	--	--

**Biological limits**

No biological limit values have been entered for this product.

**8.2 Exposure controls**

**Engineering Controls**

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

**PPE**

- Eye/Face** Wear safety glasses. If sanding dry product, wear dust-proof goggles.
- Hand** Wear PVC gloves.
- Body** Wear coveralls and safety boots. If spraying, with prolonged use, or if in confined areas, wear impervious coveralls.
- Respiratory** Wear a Type AB (Organic and Inorganic gases/vapours) respirator. If sanding dry product, wear a Class P1

**Product name** PR 1428 A 1/2 PART A

(Particulate) respirator. If spraying, with prolonged use, or if in confined areas, wear an Air-line respirator.



**9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Appearance</b>	BLACK LIQUID
<b>Odour</b>	SLIGHT ODOUR
<b>Odour Threshold</b>	NOT AVAILABLE
<b>pH</b>	NOT AVAILABLE
<b>Melting Point</b>	NOT AVAILABLE
<b>Boiling Point</b>	360°C
<b>Flash Point</b>	NOT RELEVANT
<b>Evaporation Rate</b>	NOT AVAILABLE
<b>Flammability</b>	NON FLAMMABLE
<b>Upper Explosion Limit</b>	NOT RELEVANT
<b>Lower Explosion Limit</b>	NOT RELEVANT
<b>Vapour Pressure</b>	NOT AVAILABLE
<b>Vapour Density</b>	NOT AVAILABLE
<b>Solubility (water)</b>	INSOLUBLE
<b>Partition Coefficient</b>	NOT AVAILABLE
<b>Autoignition Temperature</b>	NOT AVAILABLE
<b>Decomposition Temperature</b>	NOT AVAILABLE
<b>Viscosity</b>	NOT AVAILABLE
<b>Explosive Properties</b>	NOT AVAILABLE
<b>Oxidising Properties</b>	NOT AVAILABLE
<b>Specific Gravity</b>	1.88

**9.2 Other information**

No information provided.

**10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

Carefully review all information in sections 10.2 to 10.6.

**10.2 Chemical stability**

Stable under recommended conditions of storage.

**10.3 Possibility of hazardous reactions**

Polymerization is not expected to occur.

**10.4 Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources.

**10.5 Incompatible materials**

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid) and combustible materials. Incompatible with alkalis (e.g. sodium hydroxide).

**10.6 Hazardous decomposition products**

May evolve toxic gases (manganese oxides) when heated to decomposition.

Product name PR 1428 A 1/2 PART A

**11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

<b>Health hazard summary</b>	Harmful - irritant. This product has the potential to cause adverse health effects with over exposure. Use safe work practices to avoid eye or skin contact and inhalation. Chronic over exposure to manganese at high levels may result in manganese poisoning (manganism), a progressively disabling brain disease, which in its latter stages resembles Parkinsons disease. Symptoms may include lack of appetite, fatigue and changes in speech, balance and personality. May cause sensitisation by skin contact.
<b>Eye</b>	Severe irritant. Contact may result in irritation, lacrimation, pain, redness and blurring or dimness of vision. Prolonged contact may result in corneal burns and possible permanent damage.
<b>Inhalation</b>	Irritant. Over exposure to dust or vapours may result in irritation of the nose and throat, with coughing. Dusts enter the respiratory tract and become deposited in the major body organs. Chronic exposure may result in manganese poisoning, a disabling, usually progressive disorder of the central nervous system with symptoms resembling Parkinsonism.
<b>Skin</b>	Irritant. Contact may result in drying and defatting of the skin, rash and dermatitis. May cause sensitisation by skin contact.
<b>Ingestion</b>	May be harmful. Ingestion is considered unlikely due to product form. However, ingestion via hand-mouth transfer may result in gastrointestinal irritation, nausea and vomiting. Maintain good personal hygiene standards. Poisoning is considered unlikely by oral administration as manganese salts are poorly absorbed from the gut. Chronic exposure by ingestion may result in manganese poisoning (manganism), a progressively disabling brain disease, which in its latter stages resembles Parkinsons disease.
<b>Toxicity data</b>	<p>MANGANESE DIOXIDE (1313-13-9)</p> <p>LD50 (Ingestion): &gt; 3478 mg/kg (rat)</p> <p>LD50 (Subcutaneous): 422 mg/kg (mouse)</p> <p>LDLo (Intratracheal): 50 mg/kg (rat)</p> <p>LDLo (Intravenous): 45 mg/kg (rabbit)</p> <p>TCLo (Inhalation): 49 mg/m<sup>3</sup>/7 hours (1-18 day pregnant mouse)</p> <p>DIPHENYLGUANIDINE (102-06-7)</p> <p>LD50 (Ingestion): 375 mg/kg (rat)</p> <p>LDLo (Intravenous): 25 mg/kg (dog)</p> <p>LDLo (Subcutaneous): 200 mg/kg (guinea pig)</p> <p>SODIUM HYDROXIDE (1310-73-2)</p> <p>LD50 (Intraperitoneal): 40 mg/kg (mouse)</p> <p>LDLo (Ingestion): 500 mg/kg (rabbit)</p> <p>HYDROGENATED TERPHENYLS (61788-32-7)</p> <p>LD50 (Ingestion): 12.5 g/kg (mouse)</p> <p>TALC (14807-96-6)</p> <p>TCLo (Inhalation): 18 mg/m<sup>3</sup>/6 hour/2 year-intermittent (rat)</p> <p>TERPHENYL (26140-60-3)</p> <p>LD50 (Ingestion): 13200 mg/kg (mouse)</p> <p>LDLo (Ingestion): &gt; 500 mg/kg (rat)</p> <p>POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER (9036-19-5)</p> <p>LD50 (Ingestion): 2800 mg/kg (rat)</p> <p>LD50 (Intraperitoneal): 770 mg/kg (rat)</p> <p>LD50 (Intravenous): 70 mg/kg (mouse)</p> <p>SODIUM STEARATE (822-16-2)</p> <p>TDLo (Ingestion): 10 mg/kg (dog-inv)</p>

Product name PR 1428 A 1/2 PART A

**12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**

No information provided.

**12.2 Persistence and degradability**

No information provided.

**12.3 Bioaccumulative potential**

No information provided.

**12.4 Mobility in soil**

No information provided.

**12.5 Results of PBT and vPvB assessment**

No information provided.

**12.6 Other adverse effects**

Manganese may exist in the environment as the more soluble (2+) form and/or the less soluble (3+) form. In acidic waters, high levels of dissolved manganese may occur. Occurs naturally (0.085% of earth's crust).

**13. DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

<b>Waste disposal</b>	Mix components together (small amounts), absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Ensure protective equipment is worn when mixing. Do not seal containers/tins until reaction is complete. Contact the manufacturer/supplier for additional information (if required). Prevent contamination of drains and waterways as environmental damage may result.
<b>Legislation</b>	Dispose of in accordance with relevant local legislation.

**14. TRANSPORT INFORMATION**

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	Land Transport (ADG)	Sea Transport (IMDG/IMO)	Air Transport (IATA/ICAO)
<b>14.1 UN number</b>	None Allocated	None Allocated	None Allocated
<b>14.2 UN proper shipping name</b>	None Allocated	None Allocated	None Allocated
<b>14.3 Transport hazard classes</b>			
<b>DG Class</b>	None Allocated	None Allocated	None Allocated
<b>Subsidiary risk(s)</b>	None Allocated	None Allocated	None Allocated
<b>14.4 Packing group</b>	None Allocated	None Allocated	None Allocated
<b>14.5 Environmental hazards</b>		None Allocated	
<b>14.6 Special precautions for user</b>			
<b>Hazchem Code</b>	None Allocated		

**15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>Poison schedule</b>	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).	
<b>Classifications</b>	Xi - Irritant Xn - Harmful	
<b>Risk phrases</b>	R20/22: R36/38:	Harmful by inhalation and if swallowed. Irritating to eyes and skin.
<b>Safety phrases</b>	S24: S37:	Avoid contact with skin. Wear suitable gloves.

**Product name** PR 1428 A 1/2 PART A

**Inventory listing(s)** AUSTRALIA: AICS (Australian Inventory of Chemical Substances)  
All components are listed on AICS, or are exempt.

**15.2 Chemical safety assessment**

No information provided.

**16. OTHER INFORMATION**

**Additional information** This product is used in conjunction with PR 1428 A 1/2 PART B. Please refer to the appropriate SDS before use.

**RESPIRATORS:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**COLOUR RATING SYSTEM:** RMT has assigned all ChemAlert reports a colour rating of Green, Amber or Red for the sole purpose of providing users with a quick and easy means of determining the hazardous nature of a product. Safe handling recommendations are provided in all ChemAlert reports so as to clearly identify how users can control the hazards and thereby reduce the risk (or likelihood) of adverse effects. As a general guideline, a Green colour rating indicates a low hazard, an Amber colour rating indicates a moderate hazard and a Red colour rating indicates a high hazard.

While all due care has been taken by RMT in the preparation of the Colour Rating System, it is intended as a guide only and RMT does not provide any warranty in relation to the accuracy of the Colour Rating System. As far as is lawfully possible, RMT accepts no liability or responsibility whatsoever for the actions or omissions of any person in reliance on the Colour Rating System.

<b>Abbreviations</b>	ACGIH	American Conference of Governmental Industrial Hygienists
	CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
	CNS	Central Nervous System
	EC No.	EC No - European Community Number
	EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)
	GHS	Globally Harmonized System
	GTEPG	Group Text Emergency Procedure Guide
	IARC	International Agency for Research on Cancer
	LC50	Lethal Concentration, 50% / Median Lethal Concentration
	LD50	Lethal Dose, 50% / Median Lethal Dose
	mg/m <sup>3</sup>	Milligrams per Cubic Metre
	OEL	Occupational Exposure Limit
	PEL	Permissible Exposure Limit
	pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
	ppm	Parts Per Million
	REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
	STEL	Short-Term Exposure Limit
	STOT-RE	Specific target organ toxicity (repeated exposure)
	STOT-SE	Specific target organ toxicity (single exposure)

**Product name****PR 1428 A 1/2 PART A**

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons  
SWA Safe Work Australia  
TLV Threshold Limit Value  
TWA Time Weighted Average

**Report Status**

This ChemAlert report has been independently compiled by RMT's scientific department utilising the original Safety Data Sheet ('SDS') for the product provided to RMT by the manufacturer. The information is based on the latest chemical and toxicological research and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. It is an independent collation by RMT of information obtained from the original SDS for this product. Its content has not been authorised or verified by the manufacturer / distributor of the chemical to which it relates.

This ChemAlert report does not constitute the manufacturer's original SDS and is not intended to be a replacement for same. It is provided to subscribers of ChemAlert as a reference tool only, is not all-inclusive and does not represent any guarantee as to the properties of the product. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this ChemAlert report, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this ChemAlert report.

**Prepared By**

Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: [info@rmt.com.au](mailto:info@rmt.com.au)  
Web: [www.rmt.com.au](http://www.rmt.com.au)

**Last Reviewed:** 21 Oct 2014

**Date Printed:** 16 Mar 2015

**Based on SDS dated:** 18 Oct 2014

**End of Report**